FIGURE 218

MAIAQLATEYVFSDFLLKEPTEPKFKGLRLELAVDKMVTCIAVGLPLLLISLAFAQEISIGTQ
ISCFSPSSFSWRQAAFVDSYCWAAVQQKNSLQSESGNLPLWLHKFFPYILLLFAILLYLPPLF
WRFAAAPHICSDLKFIMEELDKVYNRAIKAAKSARDLDMRDGACSVPGVTENLGQSLWEVSES
HFKYPIVEQYLKTKKNSNNLIIKYISCRLLTLIIILLACIYLGYYFSLSSLSDEFVCSIKSGI
LRNDSTVPDQFQCKLIAVGIFQLLSVINLVVYVLLAPVVVYTLFVPFRQKTDVLKVYEILPTF
DVLHFKSEGYNDLSLYNLFLEENISEVKSYKCLKVLENIKSSGQGIDPMLLLTNLGMIKMDVV
DGKTPMSAEMREEQGNQTAELQGMNIDSETKANNGEKNARQRLLDSSC

Transmembrane domains:

amino acids 37-55, 108-126, 216-232, 273-290

N-glycosylation sites.

amino acids 255-259, 338-342, 394-398

Glycosaminoglycan attachment site.

amino acids 357-361

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 203-207

N-myristoylation sites.

amino acids 61-67, 174-180, 251-257, 393-399

Prokaryotic membrane lipoprotein lipid attachment site.

amino acids 218-229

FIGURE 219

CTGTGAGTGACACACGCTGAGTGGGGTGAAGGGAA**ATG**CTGGTGAATTTCATTTTGAGGTGTG
GGTTGCTGTTAGTCACTCTGTCTCTTGCCATTGCCAAGCACAAGCAATCTTCCTTCACCAAAA
GTTGTTACCCAAGGGGAACATTGTCCCAAGCTGTTGACGCTCTCTATATCAAAGCAGCATGGC
TCAAAGCAACGATTCCAGAAGACCGCATAAAAAATATACGATTATTAAAAAAGAAAACAAAAA
AGCAGTTTATGAAAAACTGTCAATTTCAAGAACAGCTTCTGTCCTTCTTCATGGAAGACGTTT
TTGGTCAACTGCAATTGCAAGGCTGCAAGAAAATACGCTTTGTGGAGGACTTTCATAGCCTTA
GGCAGAAATTGAGCCACTGTATTTCCTGTGCTTCATCAGCTAGAGAGATGAAATCCATTACCA
GGATGAAAAGAATATTTTATAGGATTGGAAACAAAGGAATCTACAAAGCCATCAGTGAACTGG
ATATTCTTCTTTCCTGGATTAAAAAATTATTGGAAAGCAGTCAG**TAA**ACCAAAGCCAAGTACA
TTGATTTTACAGTTATTTTGAAATACAATAAGAACTGCTAGAAATATGTTTATAACAGTCTAT
TTCTTTTAAAAACTTTTTAACATAATACTGACGGCATGTTAGGTGATTCAGAATAGACAAGAA
GGATTTAGTAAATTAACGTTTTGGATATAAGTTGTCACTAATTTGCACATTTTCTGTGTTTTC
AAATAATGTTTCCATTCTGAACATGTTTTGTCATTCACAAGTACATTGTGTCAACTTAATTTA
AAGTATGTAACCTGAATTAACTCGTGTAATATTTGTGTGTGGAGTGGGATGTGGGGGGTGGAG
GGGGAATGACAGATTTCTGGAATGCAATGTAATGTTACTGAGACTTAAATAGATGTTATGTAT
ATGATTGTCTGTTTAAGTGTTTGAAAATTGTTAATTATGCCCAGTGTGAACTTAGTACTTAAC
ACATTTTGATTTTAATTAAATAAATTGGGTTTCCTTCTCAAAAAAAAAAAAAAAAAAAAAAAA
AAAAA

FIGURE 220

MLVNFILRCGLLLVTLSLAIAKHKQSSFTKSCYPRGTLSQAVDALYIKAAWLKATIPEDRIKN
IRLLKKKTKKQFMKNCQFQEQLLSFFMEDVFGQLQLQGCKKIRFVEDFHSLRQKLSHCISCAS
SAREMKSITRMKRIFYRIGNKGIYKAISELDILLSWIKKLLESSQ

Signal sequence:

amino acids 1-21

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 68-71

N-myristoylation site.

amino acids 148-153

Interleukin-10 proteins.

amino acids 58-94, 74-102, 128-170

FIGURE 221

GACCACGGCCCTGCGCCCCAGCCAGGCCTGAGGAC**ATG**AGGCGGCCGGCGGCGGTGCCGCTCC
TGCTGCTGCTGTGTTTTGGGTCTCAGAGGGCCAAGGCAGCAACAGCCTGTGGTCGCCCCAGGA
TGCTGAACCGAATGGTGGGCGGGCAGGACACGCAGGAGGGCGAGTGGCCCTGGCAAGTCAGCA
TCCAGCGCAACGGAAGCCACTTCTGCGGGGGCAGCCTCATCGCGGAGCAGTGGGTCCTGACGG
CTGCGCACTGCTTCCGCAACACCTCTGAGACGTCCCTGTACCAGGTCCTGCTGGGGGCAAGGC
AGCTAGTGCAGCCGGGACCACACGCTATGTATGCCCGGGTGAGGCAGGTGGAGAGCAACCCCC
TGTACCAGGGCACGGCCTCCAGCGCTGACGTGGCCCTGGTGGAGCTGGAGGCACCAGTGCCCT
TCACCAATTACATCCTCCCCGTGTGCCTGCCTGACCCCTCGGTGATCTTTGAGACGGGCATGA
ACTGCTGGGTCACTGGCTGGGGCAGCCCCAGTGAGGAAGACCTCCTGCCCGAACCGCGGATCC
TGCAGAAACTCGCTGTGCCCATCATCGACACACCCAAGTGCAACCTGCTCTACAGCAAAGACA
CCGAGTTTGGCTACCAACCCAAAACCATCAAGAATGACATGCTGTGCGCCGGCTTCGAGGAGG
GCAAGAAGGATGCCTGCAAGGGCGACTCGGGCGGCCCCCTGGTGTGCCTCGTGGGTCAGTCGT
GGCTGCAGGCGGGGGTGATCAGCTGGGGTGAGGGCTGTGCCCGCCAGAACCGCCCAGGTGTCT
ACATCCGTGTCACCGCCCACCACAACTGGATCCATCGGATCATCCCCAAACTGCAGTTCCAGC
CAGCGAGGTTGGGCGGCCAGAAG**TGA**GACCCCCGGGGCCAGGAGCCCCTTGAGCAGAGCTCTG
CACCCAGCCTGCCCGCCCACACCATCCTGCTGGTCCTCCCAGCGCTGCTGTTGCACCTGTGAG
CCCCACCAGACTCATTTGTAAATAGCGCTCCTTCCTCCCCTCTCAAATACCCTTATTTTATTT
ATGTTTCTCCCAATAAAAACCCAGCCTGTGTGCCAGCTGAAAAAAAAAAAAAAAAAA

FIGURE 222

MRRPAAVPLLLLLCFGSQRAKAATACGRPRMLNRMVGGQDTQEGEWPWQVSIQRNGSHFCGGS
LIAEQWVLTAAHCFRNTSETSLYQVLLGARQLVQPGPHAMYARVRQVESNPLYQGTASSADVA
LVELEAPVPFTNYILPVCLPDPSVIFETGMNCWVTGWGSPSEEDLLPEPRILQKLAVPIIDTP
KCNLLYSKDTEFGYQPKTIKNDMLCAGFEEGKKDACKGDSGGPLVCLVGQSWLQAGVISWGEG
CARQNRPGVYIRVTAHHNWIHRIIPKLQFQPARLGGQK

Important features of the protein:

Signal peptide:

amino acids 1-22

N-glycosylation sites.

amino acids 55-58, 79-82

Casein kinase II phosphorylation sites.

amino acids 121-124, 165-168, 167-170, 248-251

Tyrosine kinase phosphorylation sites.

amino acids 78-86, 197-203

N-myristoylation sites.

amino acids 16-21, 37-42, 56-61, 62-67, 118-123

Amidation site.

amino acids 219-222

Serine proteases, trypsin family, histidine active site.

amino acids 71-76

FIGURE 223

CAAG**ATG**TGGACAGCTCTTGTGCTCATTTGGATTTTCTCCTTGTCCTTATCTGAAAGCCATGC
GGCATCCAACGATCCACGCAACTTTGTCCCTAACAAAATGTGGAAGGGATTAGTCAAGAGGAA
TGCATCTGTGGAAACAGTTGATAATAAAACGTCTGAGGATGTAACCATGGCAGCAGCTTCTCC
TGTCACATTGACCAAAGGGACTTCGGCAGCCCACCTCAACTCTATGGAAGTCACAACAGAGGA
CACAAGCAGGACAGATGTGAGTGAACCAGCAACTTCAGGAGTTGCAGCTGATGGTGTGACCTC
CATTGCTCCCACGGCTGTGGCCTCCAGTACGACTGCGGCCTCCATTACGACTGCGGCCTCCAG
TATGACTGTGGCCTCCAGTGCTCCCACGACTGCAGCCTCCAGTACAACTGTGGCCTCCATTGC
TCCCACGACTGCAGCCTCCAGTATGACTGCGGCCTCCAGCACTCCCATGACACTTGCACTCCC
CGCGCCCACGTCCACTTCCACAGGGCGGACCCCGTCCACTACCGCCACTGGGCATCCATCTCT
CAGCACAGCCCTCGCACAAGTGCCAAAGAGCAGCGCGTTGCCAAGAACAGCAACCCTGGCCAC
ATTGGCCACACGTGCTCAGACTGTAGCGACCACAGCAAACACAAGCAGCCCCATGAGCACTCG
TCCAAGTCCTTCCAAGCACATGCCCAGTGACACCGCGGCAAGCCCTGTACCCCCTATGCGTCC
CCAAGCACAAGGTCCCATTAGCCAGGTGTCAGTGGACCAGCCTGTGGTTAACACAACAAATAA
ATCCACACCCATGCCCTCAAACACAACCCCAGAGCCCGCCCCCACCCCCACAGTGGTGACCAC
CACCAAGGCACAAGCCAGGGAGCCAACTGCCAGCCCAGTGCCAGTACCTCACACCAGCCCAAT
CCCTGAGATGGAGGCCATGTCCCCCACGACACAGCCAAGCCCCATGCCATATACCCAGAGGGC
CGCTGGGCCAGGCACATCCCAGGCACCGGAGCAGGTAGAGACTGAAGCCACACCAGGTACTGA
TTCCACTGGGCCAACACCCAGGAGCTCAGGGGGCACTAAGATGCCAGCCACGGACTCGTGCCA
GCCCAGCACCCAAGGCCAGTACATGGTGGTCACCACTGAGCCCCTCACCCAGGCCGTGGTAGA
CAAAACTCTCCTTCTGGTGGTGCTGTTACTCGGGGTGACCCTTTTCATCACAGTCTTGGTTTT
GTTTGCCCTGCAGGCCTATGAGAGCTACAAGAAGAAGGACTACACCCAGGTGGACTACTTAAT
CAACGGGATGTATGCGGACTCAGAAATG**TGA**GGGGGGCGGGGGCCTGGCGGGAGGCCTGGCCC
CTTCCTCGTCCTTTCCTTTTGCCTTTGAGACCAAACCAAGTGCTTCCAAATTCTTTTGGTGCA
ATTGAGGAGATATGCCAGATGCTTAAACACATTTAATTGCTGTCAGATTAATTCCATGATCAC
TAAAGAGTTGCTGCTTTTTTCATATTTATTTTTGTAAATGATTCTGTGCCCAGGAGCAGCTGG
GGGTTCCACCTCAGGGTGGGGCGGGCAGGACCCCGTCTCCCCAGGTGTCGGAGCCTGACCTGA
ATTAAAGTACTGACTGCTCGCCA

FIGURE 224

MWTALVLIWIFSLSLSESHAASNDPRNFVPNKMWKGLVKRNASVETVDNKTSEDVTMAAASPV
TLTKGTSAAHLNSMEVTTEDTSRTDVSEPATSGVAADGVTSIAPTAVASSTTAASITTAASSM
TVASSAPTTAASSTTVASIAPTTAASSMTAASSTPMTLALPAPTSTSTGRTPSTTATGHPSLS
TALAQVPKSSALPRTATLATLATRAQTVATTANTSSPMSTRPSPSKHMPSDTAASPVPPMRPQ
AQGPISQVSVDQPVVNTTNKSTPMPSNTTPEPAPTPTVVTTTKAQAREPTASPVPVPHTSPIP
EMEAMSPTTQPSPMPYTQRAAGPGTSQAPEQVETEATPGTDSTGPTPRSSGGTKMPATDSCQP
STQGQYMVVTTEPLTQAVVDKTLLLVVLLLGVTLFITVLVLFALQAYESYKKKDYTQVDYLIN
GMYADSEM

Signal peptide:

amino acids 1-20

Transmembrane domain:

amino acids 396-420

N-glycosylation sites.

amino acids 41-44, 49-52, 222-225, 268-271, 271-274

Casein kinase II phosphorylation sites.

amino acids 14-17, 51-54, 80-83, 85-88, 280-283, 434-437

N-myristoylation sites.

amino acids 68-73, 354-359

Aldo/keto reductase family putative active site signature.

amino acids 195-210

FIGURE 225

GGAAGGCGCTCAAGGTGCGCGGCCCGGGGCGCGCTACTGGGGGCGCCCTCCGCGGTGGGCAGC
GCGCCAGGGATCGGCCTGGGCAGCCGCGGGGCGCGCGAAGGCTGCGCTTTCCCTACGGCCCCC
CTCGCTTCCTCCGGCACGGCGGCAACGGAGATTTCCTCTCGGGGAAACTACGCGGATCCTTTT
CGGGGATCCTCGCCCCGCCCCAGTTCTCCGCCCCCTCCCCTTTGCTGGGGCGCCTGGGCTGGC
CCGCGCAGGGGAGGAGGCTCTGGCAGCCTGGGCAGGGAGGCGGCGGGGGGCCGCGGAGCCGCT
GGCCATCGATTCTCCCCGCCATGTGACGCCGTCCTTAGCCCTGCGACCCCCAGCGCGTCCCGG
GCCTGCGCCTCCGCCCCGCCGCGCAGCGCACG**ATG**CTTCTGCCGGGACGCGCACGCCAACCGC
CGACGCCCCAGCCCGTGCAGCATCCCGGCCTCCGCCGGCAGGTAGAGCCGCCGGGGCAGCTCC
TGCGCCTCTTCTACTGCACTGTCCTGGTCTGCTCCAAAGAGATCTCAGCGCTCACCGACTTCT
CTGGTTACCTAACCAAACTCCTGCAAAACCACACCACCTATGCCTGTGATGGGGACTATTTGA
ATCTACAGTGCCCTCGGCATTCTACGATAAGTGTCCAATCGGCATTTTATGGGCAAGATTACC
AAATGTGTAGTTCCCAGAAGCCTGCCTCCCAGAGGGAAGACAGCTTAACCTGTGTGGCAGCCA
CCACCTTCCAGAAGGTGCTGGACGAATGCCAGAACCAGCGGGCCTGCCACCTCCTGGTCAATA
GCCGTGTTTTTGGACCTGACCTTTGTCCAGGAAGCAGTAAATACCTCCTGGTCTCCTTTAAAT
GCCAACCTAATGAATTAAAAAACAAAACCGTGTGTGAAGACCAGGAGCTGAAACTGCACTGCC
ATGAATCCAAGTTCCTCAACATCTACTCTGCGACCTACGGCAGGAGGACCCAGGAAAGGGACA
TCTGCTCCTCCAAGGCAGAGCGGCTCCCCCCTTTCGATTGCTTGTCTTACTCAGCTTTGCAAG
TCCTATCCCGAAGGTGCTATGGGAAGCAGAGATGCAAAATCATCGTCAACAATCACCATTTTG
GAAGCCCCTGTTTGCCAGGCGTGAAAAAATACCTCACTGTGACCTACGCATGTGTTCCCAAGA
ACATACTCACAGCGATTGATCCAGCCATTGCTAATCTAAAACCTTCTTTGAAGCAGAAAGATG
GTGAATATGGTATAAACTTCGACCCAAGCGGATCGAAGGTTCTGAGGAAAGATGGAATTCTTG
TTAGCAACTCTCTGGCAGCCTTTGCTTACATTAGAGCCCACCCAGAGAGAGCTGCCCTGCTGT
TCGTGTCCAGTGTCTGCATCGGCCTGGCCCTCACACTGTGCGCCCTGGTCATCAGAGAGTCCT
GTGCCAAGGACTTCCGCGACTTGCAGCTGGGGAGGGAGCAGCTGGTGCCAGGAAGTGACAAGG
TCGAGGAGGACAGCGAGGATGAAGAAGAGGAGGAGGACCCCTCTGAGTCTGATTTCCCAGGGG
AACTGTCGGGGTTCTGTAGGACTTCATATCCTATATACAGTTCCATAGAAGCTGCAGAGCTCG
CAGAAAGGATTGAGCGCAGGGAGCAAATCATTCAGGAAATATGGATGAACAGTGGTTTGGACA
CCTCGCTCCCAAGAAACATGGGCCAGTTCTAC**TGA**AAACCACATGCATCTTGATGCGATCGCA
CTTTCTGAAGAAGGAAGGATCCCAAATGCCCCTCCAGTTCTGGTTCACCTGTACCTTCTATGA
AGGAGAATTCGTCATGTCATTCAACACTCGTGAGGCCAGGAAGCTATTAAAGGGATGTTTCAA
GCTGTTTCTAGCACATTCCAAAATAAATGAGGAGGGAGGAAAAAAAAAAAAAAAAAAAAAAAA
AAAAAAAAAAAAAAAAA

FIGURE 226

MLLPGRARQPPTPQPVQHPGLRRQVEPPGQLLRLFYCTVLVCSKEISALTDFSGYLTKLLQNH
TTYACDGDYLNLQCPRHSTISVQSAFYGQDYQMCSSQKPASQREDSLTCVAATTFQKVLDECQ
NQRACHLLVNSRVFGPDLCPGSSKYLLVSFKCQPNELKNKTVCEDQELKLHCHESKFLNIYSA
TYGRRTQERDICSSKAERLPPFDCLSYSALQVLSRRCYGKQRCKIIVNNHHFGSPCLPGVKKY
LTVTYACVPKNILTAIDPAIANLKPSLKQKDGEYGINFDPSGSKVLRKDGILVSNSLAAFAYI
RAHPERAALLFVSSVCIGLALTLCALVIRESCAKDFRDLQLGREQLVPGSDKVEEDSEDEEEE
EDPSESDFPGELSGFCRTSYPIYSSIEAAELAERIERREQIIQEIWMNSGLDTSLPRNMGQFY

Transmembrane domains:

amino acids 32-49, 322-343

N-glycosylation sites.

amino acids 62-66, 165-169

Tyrosine kinase phosphorylation site.

amino acids 280-287

N-myristoylation site.

amino acids 302-308, 333-339, 428-434

Amidation site.

amino acids 191-195

FIGURE 227

GGCACGAGGTGGAAGGGCTTTTACAAACAGATTGCTGGCCCCACCCCCCAGAATTTCTCATCA
GGAGTGGGCAAGACCAATCATTTGCATTTCTGACAAGTTCCCAGGAGCTGCAGCTGCTGGCCC
TGGAACCACACTTTGAGAACCACTGCTTTAGACCAAACACCAAAGGAAGATGCAGCCACCCTC
CTTTACATGTCACAACGCTCAGGGTCCATGAGTACCTCAGGCTGTCCAGCTGAGCTCCACCTG
CAGCAGCCGAGATTCCCGACTCGCTCCACCATTGGGGGCTAGGAGTGAAGCGTGTCACC**ATG**G
TCAGCTCATGGCCAGCCAGGAAAGCCTCTCTGCTGTGCGTCTGTGCAGTTCTTGTTCTTCCCT
GGAGGACTCTTGGATCGCCTGTGATCTTGGCCAGGAGACCAGGTGCCTGGGTCCCTTCCTGGA
AGGGGACAAGTTACACACCCCAGCCCCATTTTCCCACCAACTTCTACATGCCTTGGGAGAACC
TTCTACATGTTGGCTGCCCCCTTCCCCTATTTCAGCAGTGCCCAGTCCTGCTTATAAACCTGA
GGCCTGCTCCCCATACCTTCCCTGTGCAAGTGCCAGCCGTTATTCCAGGCAGCCCAATGTTGT
TGAGGCCAGATGGATTCCTGGAAGCAGCTGGCCCATGGATG**TGA**GTCATCACAGTATTCTAGA
AACAGAGAAGAGGTCTTAACCTAATGCGCATAGAGAAATTGTTCTCATTGTAAACATACCCCT
GTCCTTAGCTGATCTAGGTGGAAGCCCAGCTTCATGTGCTAGGGGGCATGATAATGATAATAA
AGGAATTGTATCTAGGACTAA

FIGURE 228

MVSSWPARKASLLCVCAVLVLPWRTLGSPVILARRPGAWVPSWKGTSYTPQPHFPTNFYMPWE
NLLHVGCPLPLFQQCPVLLINLRPAPHTFPVQVPAVIPGSPMLLRPDGFLEAAGPWM

Signal peptide:

amino acids 1-27

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 8-12

FIGURE 229

GGGAAGGGATGCAAGGAAGCCCTCCGGCGCTGCGCTCCGAGGCGGGAGACAGCGTCCCGCTGA
AAATGTGTGTCTGACATGCAAGCTCAGTGGGGCAGAGACCCGTGGATTGCTGTGCCCTGCCCT
CCGGACCTGGATC**ATG**AAGGTGTTGGGAAGAAGCTTCTTCTGGGTGCTGTTTCCCGTCCTTCC
CTGGGCGGTGCAGGCTGTGGAGCACGAGGAGGTGGCGCAGCGTGTGATCAAACTGCACCGCGG
GCGAGGGGTGGCTGCCATGCAGAGCCGGCAGTGGGTCCGGGACAGCTGCAGGAAGCTCTCAGG
GCTTCTCCGCCAGAAGAATGCAGTTCTGAACAAACTGAAAACTGCAATTGGAGCAGTGGAGAA
AGACGTGGGCCTGTCGGATGAAGAGAAACTGTTTCAGGTGCACACGTTTGAAATTTTCCAGAA
AGAGCTGAATGAAAGTGAAAATTCCGTTTTCCAAGCTGTCTACGGACTGCAGAGAGCCCTGCA
GGGGGATTACAAAGATGTCGTGAACATGAAGGAGAGCAGCCGGCAGCGCCTGGAGGCCCTGAG
AGAGGCTGCAATAAAGGAAGAAACAGAATATATGGAACTTCTGGCAGCAGAAAAACATCAAGT
TGAAGCCCTTAAAAATATGCAACATCAAAACCAAAGTTTATCCATGCTTGACGAGATTCTTGA
AGATGTAAGAAAGGCAGCGGATCGTCTGGAGGAAGAGATAGAGGAACATGCTTTTGACGACAA
TAAATCAGTCAAGGGGGTCAATTTTGAGGCAGTTCTGAGGGTGGAGGAAGAAGAGGCCAATTC
TAAGCAAAATATAACAAAACGAGAAGTGGAGGATGACTTGGGTCTTAGCATGCTGATTGACTC
CCAGAACAACCAGTATATTTTGACCAAGCCCAGAGATTCAACCATCCCACGTGCAGATCACCA
CTTTATAAAGGACATTGTTACCATAGGAATGCTGTCCTTGCCTTGTGGCTGGCTATGTACAGC
CATAGGATTGCCTACAATGTTTGGTTATATTATTTGTGGTGTACTTCTGGGACCTTCAGGACT
AAATAGTATTAAGTCTATTGTGCAAGTGGAGACATTAGGAGAATTTGGGGTGTTTTTTACTCT
TTTTCTTGTTGGCTTAGAATTTTCTCCAGAAAAGCTAAGAAAGGTGTGGAAGATTTCCTTACA
AGGGCCGTGTTACATGACACTGTTAATGATTGCATTTGGCTTGCTGTGGGGGCATCTCTTGCG
GATCAAACCCACGCAGAGCGTCTTCATTTCCACGTGTCTGTCCTTGTCAAGCACACCCCTCGT
GTCCAGGTTCCTCATGGGCAGTGCTCGGGGTGACAAAGAAGGCGACATTGACTACAGCACCGT
GCTCCTCGGCATGCTGGTGACGCAGGACGTGCAGCTCGGGCTCTTCATGGCCGTCATGCCGAC
TCTCATACAGGCGGGCGCCAGTGCATCTTCTAGCATTGTCGTGGAAGTTCTCCGAATCCTGGT
TTTGATTGGTCAGATTCTTTTTTCACTAGCGGCGGTTTTTCTTTTATGTCTTGTTATAAAGAA
GTATCTCATTGGACCCTATTATCGGAAGCTGCACATGGAAAGCAAGGGGAACAAAGAAATCCT
GATCTTGGGAATATCTGCCTTTATCTTCTTAATGTTAACGGTCACGGAGCTGCTGGACGTCTC
CATGGAGCTGGGCTGTTTCCTGGCTGGAGCGCTCGTCTCCTCTCAGGGCCCCGTGGTCACCGA
GGAGATCGCCACCTCCATCGAACCCATCCGCGACTTCCTGGCCATCGTTTTCTTCGCCTCCAT
AGGGCTCCACGTGTTCCCCACGTTTGTGGCGTACGAGCTCACGGTGCTGGTGTTCCTCACCTT
GTCAGTGGTGGTGATGAAGTTTCTCCTGGCGGCGCTGGTCCTGTCTCTCATTCTGCCGAGGAG
CAGCCAGTACATCAAGTGGATCGTCTCTGCGGGGCTTGCCCAGGTCAGCGAGTTTTCCTTTGT
CCTGGGGAGCCGGGCGCGAAGAGCGGGCGTCATCTCTCGGGAGGTGTACCTCCTTATACTGAG
TGTGACCACGCTCAGCCTCTTGCTCGCCCCGGTGCTGTGGAGAGCTGCAATCACGAGGTGTGT
GCCCAGACCGGAGAGACGGTCCAGCCTC**TGA**TGGCTCGGAGATGATGGACCGTGGAAGGGAAG
CGTCTGTGGGGAGTGAGCGCTTAGATGGCCAGCAGCTGCTCCTTCTGGGAAGCTCGCACCTTG
GCAACAGAACAGCCCTCTAGCAGAGCGTCAGTGCAGTCGTGTTATCCCGGCTTTTACAGAATA
TTCTTGTCCTATTTTAGAATTTTCCGGAGTAGTTTATTTGCAGTCTGTTGATTATGTGCAGTA
GACCCGGGACACTGCGTTTTACCGATCACCTTGAATGTGGTGCCTGGATGTGCCTTTTTTTTT
TTTCCCTGAAATTATTATTAATTTTCTATTGTGAGTTCATCAGTTCATAGTTTTTTTAGTAAA
GAAGCAAAATTAAAAGGCTTTTAAAAATGTACAACTTCAGAATTATAATCTGTTAGTCAAATA
TTTGTTATTAAACATTTCTGTAATATGAAGTTGTAATCCTGGCCGTGAGCTTGGAAGCTTACT
TTTGATTCTTAAAGCCTATGTTTTCTAAAATGAGACAAATACGGATGTCTATTTGCCTTTTAT
TGTAACTTTTAAATGAAATAATTTCATGTCAATTTCTATTAGATATATCACTTAAAATATTTG
GTTTTAAATCACAAGAATATGTATTCTTTAATAAAGATAATTTATGATCATGGTAAAAAAAAAA

FIGURE 230

MKVLGRSFFWVLFPVLPWAVQAVEHEEVAQRVIKLHRGRGVAAMQSRQWVRDSCRKLSGLLRQ
KNAVLNKLKTAIGAVEKDVGLSDEEKLFQVHTFEIFQKELNESENSVFQAVYGLQRALQGDYK
DVVNMKESSRQRLEALREAAIKEETEYMELLAAEKHQVEALKNMQHQNQSLSMLDEILEDVRK
AADRLEEEIEEHAFDDNKSVKGVNFEAVLRVEEEEEANSKQNITKREVEDDLGLSMLIDSQNNQ
YILTKPRDSTIPRADHHFIKDIVTIGMLSLPCGWLCTAIGLPTMFGYIICGVLLGPSGLNSIK
SIVQVETLGEFGVFFTLFLVGLEFSPEKLRKVWKISLQGPCYMTLLMIAFGLLWGHLLRIKPT
QSVFISTCLSLSSTPLVSRFLMGSARGDKEGDIDYSTVLLGMLVTQDVQLGLFMAVMPTLIQA
GASASSSIVVEVLRILVLIGQILFSLAAVFLLCLVIKKYLIGPYYRKLHMESKGNKEILILGI
SAFIFLMLTVTELLDVSMELGCFLAGALVSSQGPVVTEEIATSIEPIRDFLAIVFFASIGLHV
FPTFVAYELTVLVFLTLSVVVMKFLLAALVLSLILPRSSQYIKWIVSAGLAQVSEFSFVLGSR
ARRAGVISREVYLLILSVTTLSLLLAPVLWRAAITRCVPRPERRSSL

Signal peptide:
amino acids 1-22

Transmembrane domains:
amino acids 282-304, 322-337, 354-370, 379-395, 445-474, 501-520, 576-598, 641-660

N-glycosylation sites.
amino acids 104-108, 174-178, 206-210, 230-234

cAMP- and cGMP-dependent protein kinase phosphorylation site.
amino acids 55-59, 673-677

Tyrosine kinase phosphorylation site.
amino acids 407-414

N-myristoylation sites.
amino acids 116-122, 327-333, 366-372, 401-407, 419-425, 429-435, 442-448, 525-531, 530-536

Cell attachment sequence.
amino acids 404-407

FIGURE 231

GAGAAAAACAACAGGAAGCAGCTTACAAACTCGGTGAACAACTGAGGGAACCAAACCAGAGAC
GCGCTGAACAGAGAGAATCAGGCTCAAAGCAAGTGGAAGTGGGCAGAGATTCCACCAGGACTG
GTGCAAGGCGCAGAGCCAGCCAGATTTGAGAAGAAGGCAAAAAG**ATG**CTGGGGAGCAGAGCTG
TAATGCTGCTGTTGCTGCTGCCCTGGACAGCTCAGGGCAGAGCTGTGCCTGGGGGCAGCAGCC
CTGCCTGGACTCAGTGCCAGCAGCTTTCACAGAAGCTCTGCACACTGGCCTGGAGTGCACATC
CACTAGTGGGACACATGGATCTAAGAGAAGAGGGAGATGAAGAGACTACAAATGATGTTCCCC
ATATCCAGTGTGGAGATGGCTGTGACCCCCAAGGACTCAGGGACAACAGTCAGTTCTGCTTGC
AAAGGATCCACCAGGGTCTGATTTTTTATGAGAAGCTGCTAGGATCGGATATTTTCACAGGGG
AGCCTTCTCTGCTCCCTGATAGCCCTGTGGGCCAGCTTCATGCCTCCCTACTGGGCCTCAGCC
AACTCCTGCAGCCTGAGGGTCACCACTGGGAGACTCAGCAGATTCCAAGCCTCAGTCCCAGCC
AGCCATGGCAGCGTCTCCTTCTCCGCTTCAAAATCCTTCGCAGCCTCCAGGCCTTTGTGGCTG
TAGCCGCCCGGGTCTTTGCCCATGGAGCAGCAACCCTGAGTCCC**TAA**AGGCAGCAGCTCAAGG
ATGGCACTCAGATCTCCATGGCCCAGCAAGGCCAAGATAAATCTACCACCCCAGGCACCTGTG
AGCCAACAGGTTAATTAGTCCATTAATTTTAGTGGGACCTGCATATGTTGAAAATTACCAATA
CTGACTGACATGTGATGCTGACCTATGATAAGGTTGAGTATTTATTAGATGGGAAGGGAAATT
TGGGGATTATTTATCCTCCTGGGGACAGTTTGGGGAGGATTATTTATTGTATTTATATTGAAT
TATGTACTTTTTTCAATAAAGTCTTATTTTTGTGGCTAAAAAAAAAAAAA

FIGURE 232

MLGSRAVMLLLLLPWTAQGRAVPGGSSPAWTQCQQLSQKLCTLAWSAHPLVGHMDLREEGDEE
TTNDVPHIQCGDGCDPQGLRDNSQFCLQRIHQGLIFYEKLLGSDIFTGEPSLLPDSPVGQLHA
SLLGLSQLLQPEGHHWETQQIPSLSPSQPWQRLLLRFKILRSLQAFVAVAARVFAHGAATLSP

Important features of the protein:

Signal peptide:

amino acids 1-21

Casein kinase II phosphorylation site.

amino acids 64-67

N-myristoylation sites.

amino acids 25-30, 81-86, 122-127

FIGURE 233

CCCACGCGTCCGGCCCTGTAACCAAGATACTGACTGAACATGGCTGGCGGACTCAGGCTGGGGTCTGCAGTGCAG
CATTAATGGGCCGCTGACATGAATATGGAGTAGTTTTCTCTAGCAAAGAGTA**ATG**TGGGCCATGGAGTCAGGCCA
CCTCCTCTGGGCTCTGCTGTTCATGCAGTCCTTGTGGCCTCAACTGACTGATGGAGCCACTCGAGTCTACTACCT
GGGCATCCGGGATGTGCAGTGGAACTATGCTCCCAAGGGAAGAAATGTCATCACGAACCAGCCTCTGGACAGTGA
CATAGTGGCTTCCAGCTTCTTAAAGTCTGACAAGAACCGGATAGGGGGAACCTACAAGAAGACCATCTATAAAGA
ATACAAGGATGACTCATACACAGATGAAGTGGCCCAGCCTGCCTGGTTGGGCTTCCTGGGGCCAGTGTTGCAGGC
TGAAGTGGGGGATGTCATTCTTATTCACCTGAAGAATTTTGCCACTCGTCCCTATACCATCCACCCTCATGGTGT
CTTCTACGAGAAGGACTCTGAAGGTTCCCTATACCCAGATGGCTCCTCTGGGCCACTGAAAGCTGATGACTCTGT
TCCCCCGGGGGGCAGCCATATCTACAACTGGACCATTCCAGAAGGCCATGCACCCACCGATGCTGACCCAGCGTG
CCTCACCTGGATCTACCATTCTCATGTAGATGCTCCACGAGACATTGCAACTGGCCTAATTGGGCCTCTCATCAC
CTGTAAAAGAGGAGCCCTGGATGGGAACTCCCCTCCTCAACGCCAGGATGTAGACCATGATTTCTTCCTCCTCTT
CAGTGTGGTAGATGAGAACCTCAGCTGGCATCTCAATGAGAACATTGCCACTTACTGCTCAGATCCTGCTTCAGT
GGACAAAGAAGATGAGACATTTCAGGAGAGCAATAGGATGCATGCAATCAATGGCTTTGTTTTTGGGAATTTACC
TGAGCTGAACATGTGTGCACAGAAACGTGTGGCCTGGCACTTGTTTGGCATGGGCAATGAAATTGATGTCCACAC
AGCATTTTTCCATGGACAGATGCTGACTACCCGTGGACACCACACTGATGTGGCTAACATCTTTCCAGCCACCTT
TGTGACTGCTGAGATGGTGCCCTGGGAACCTGGTACCTGGTTAATTAGCTGCCAAGTGAACAGTCACTTTCGAGA
TGGCATGCAGGCACTCTACAAGGTCAAGTCTTGCTCCATGGCCCCTCCTGTGGACCTGCTCACAGGCAAAGTTCG
ACAGTACTTCATTGAGGCCCATGAGATTCAATGGGACTATGGCCCGATGGGGCATGATGGGAGTACTGGGAAGAA
TTTGAGAGAGCCAGGCAGTATCTCAGATAAGTTTTTCCAGAAGAGCTCCAGCCGAATTGGGGGCACTTACTGGAA
AGTGCGATATGAAGCCTTTCAAGATGAGACATTCCAAGAGAAGATGCATTTGGAGGAAGATAGGCATCTTGGAAT
CCTGGGGCCAGTGATCCGGGCTGAGGTGGGTGACACCATTCAGGTGGTCTTCTACAACCGTGCCTCCCAGCCATT
CAGCATGCAGCCCCATGGGGTCTTTTATGAGAAAGACTATGAAGGCACTGTGTACAATGATGGCTCATCTTACCC
TGGCTTGGTTGCCAAGCCCTTTGAGAAAGTAACATACCGCTGGACAGTCCCCCCTCATGCCGGTCCCACTGCTCA
GGATCCTGCTTGTCTCACTTGGATGTACTTCTCTGCTGCAGATCCCATAAGAGACACAAATTCTGGCCTGGTGGG
CCCGCTGCTGGTGTGCAGGGCTGGTGCCTTGGGTGCAGATGGCAAGCAGAAAGGGGTGGATAAAGAATTCTTTCT
TCTCTTCACTGTGTTGGATGAGAACAAGAGCTGGTACAGCAATGCCAATCAAGCAGCTGCTATGTTGGATTTCCG
ACTGCTTTCAGAGGATATTGAGGGCTTCCAAGACTCCAATCGGATGCATGCCATTAATGGGTTTCTGTTCTCTAA
CCTGCCCAGGCTGGACATGTGCAAGGGTGACACAGTGGCCTGGCACCTGCTCGGCCTGGGCACAGAGACTGATGT
GCATGGAGTCATGTTCCAGGGCAACACTGTGCAGCTTCAGGGCATGAGGAAGGGTGCAGCTATGCTCTTTCCTCA
TACCTTTGTCATGGCCATCATGCAGCCTGACAACCTTGGGACATTTGAGATTTATTGCCAGGCAGGCAGCCATCG
AGAAGCAGGGATGAGGGCAATCTATAATGTCTCCCAGTGTCCTGGCCACCAAGCCACCCCTCGCCAACGCTACCA
AGCTGCAAGAATCTACTATATCATGGCAGAAGAAGTAGAGTGGGACTATTGCCCTGACCGGAGCTGGGAACGGGA
ATGGCACAACCAGTCTGAGAAGGACAGTTATGGTTACATTTTCCTGAGCAACAAGGATGGGCTCCTGGGTTCCAG
ATACAAGAAAGCTGTATTCAGGGAATACACTGATGGTACATTCAGGATCCCTCGGCCAAGGACTGGACCAGAAGA
ACACTTGGGAATCTTGGGTCCACTTATCAAAGGTGAAGTTGGTGATATCCTGACTGTGGTATTCAAGAATAATGC
CAGCCGCCCCTACTCTGTGCATGCTCATGGAGTGCTAGAATCTACTACTGTCTGGCCACTGGCTGCTGAGCCTGG
TGAGGTGGTCACTTATCAGTGGAACATCCCAGAGAGGTCTGGCCCTGGGCCCAATGAGTCTGCTTGTGTTTCCTG
GATCTATTATTCTGCAGTGGATCCCATCAAGGACATGTATAGTGGCCTGGTGGGGCCCTTGGCTATCTGCCAAAA
GGGCATCCTGGAGCCCCATGGAGGACGGAGTGACATGGATCGGGAATTTGCATTGTTGTTCTTGATTTTTGATGA
AAATAAGTCTTGGTATTTGGAGGAAAATGTGGCAACCCATGGGTCCCAGGATCCAGGCAGTATTAACCTACAGGA
TGAAACTTTCTTGGAGAGCAATAAAATGCATGCAATCAATGGGAAACTCTATGCCAACCTTAGGGGTCTTACCAT
GTACCAAGGAGAACGAGTGGCCTGGTACATGCTGGCCATGGGCCAAGATGTGGATCTACACACCATCCACTTTCA
TGCAGAGAGCTTCCTCTATCGGAATGGCGAGAACTACCGGGCAGATGTGGTGGATCTGTTCCCAGGGACTTTTGA
GGTTGTGGAGATGGTGGCCAGCAACCCTGGGACATGGCTGATGCACTGCCATGTGACTGACCATGTCCATGCTGG
CATGGAGACCCTCTTCACTGTTTTTTCTCGAACAGAACACTTAAGCCCTCTCACCGTCATCACCAAAGAGACTGA
AAAAGTGCCCCCCAGAGACATTGAAGAAGGCAATGTGAAGATGCTGGGCATGCAGATCCCCATAAAGAATGTTGA
GATGCTGGCCTCTGTTTTGGTTGCCATTAGTGTCACCCTTCTGCTCGTTGTTCTGGCTCTTGGTGGAGTGGTTTG
GTACCAACATCGACAGAGAAAGCTACGACGCAATAGGAGGTCCATCCTGGATGACAGCTTCAAGCTTCTGTCTTT
CAAACAG**TAA**CATCTGGAGCCTGGAGATATCCTCAGGAAGCACATCTGTAGTGCACTCCCAGCAGGCCATGGACT
AGTCACTAACCCCACACTCAAAGGGGCATGGGTGGTGGAGAAGCAGAAGGAGCAATCAAGCTTATCTGGATATTT
CTTTCTTTATTTATTTTACATGGAAATAATATGATTTCACTTTTTCTTTAGTTTCTTTGCTCTACGTGGGCACCT
GGCACTAAGGGAGTACCTTATTATCCTACATCGCAAATTTCAACAGCTACATTATATTTCCTTCTGACACTTGGA
AGGTATTGAAATTTCTAGAAATGTATCCTTCTCACAAAGTAGAGACCAAGAGAAAAACTCATTGATTGGGTTTCT
ACTTCTTTCAAGGACTCAGGAAATTTCACTTTGAACTGAGGCCAAGTGAGCTGTTAAGATAACCCACACTTAAAC
TAAAGGCTAAGAATATAGGCTTGATGGGAAATTGAAGGTAGGCTGAGTATTGGGAATCCAAATTGAATTTTGATT
CTCCTTGGCAGTGAACTACTTTGAAGAAGTGGTCAATGGGTTGTTGCTGCCATGAGCATGTACAACCTCTGGAGC
TAGAAGCTCCTCAGGAAAGCCAGTTCTCCAAGTTCTTAACCTGTGGCACTGAAAGGAATGTTGAGTTACCTCTTC
ATGTTTTAGACAGCAAACCCTATCCATTAAAGTACTTGTTAGACCAAAAAAAAAAAAA

FIGURE 234

MWAMESGHLLWALLFMQSLWPQLTDGATRVYYLGIRDVQWNYAPKGRNVITNQPLDSDIVASS
FLKSDKNRIGGTYKKTIYKEYKDDSYTDEVAQPAWLGFLGPVLQAEVGDVILIHLKNFATRPY
TIHPHGVFYEKDSEGSLYPDGSSGPLKADDSVPPGGSHIYNWTIPEGHAPTDADPACLTWIYH
SHVDAPRDIATGLIGPLITCKRGALDGNSPPQRQDVDHDFFLLFSVVDENLSWHLNENIATYC
SDPASVDKEDETFQESNRMHAINGFVFGNLPELNMCAQKRVAWHLFGMGNEIDVHTAFFHGQM
LTTRGHHTDVANIFPATFVTAEMVPWEPGTWLISCQVNSHFRDGMQALYKVKSCSMAPPVDLL
TGKVRQYFIEAHEIQWDYGPMGHDGSTGKNLREPGSISDKFFQKSSSRIGGTYWKVRYEAFQD
ETFQEKMHLEEDRHLGILGPVIRAEVGDTIQVVFYNRASQPFSMQPHGVFYEKDYEGTVYNDG
SSYPGLVAKPFEKVTYRWTVPPHAGPTAQDPACLTWMYFSAADPIRDTNSGLVGPLLVCRAGA
LGADGKQKGVDKEFFLLFTVLDENKSWYSNANQAAAMLDFRLLSEDIEGFQDSNRMHAINGFL
FSNLPRLDMCKGDTVAWHLLGLGTETDVHGVMFQGNTVQLQGMRKGAAMLFPHTFVMAIMQPD
NLGTFEIYCQAGSHREAGMRAIYNVSQCPGHQATPRQRYQAARIYYIMAEEVEWDYCPDRSWE
REWHNQSEKDSYGYIFLSNKDGLLGSRYKKAVFREYTDGTFRIPRPRTGPEEHLGILGPLIKG
EVGDILTVVFKNNASRPYSVHAHGVLESTTVWPLAAEPGEVVTYQWNIPERSGPGPNDSACVS
WIYYSAVDPIKDMYSGLVGPLAICQKGILEPHGGRSDMDREFALLFLIFDENKSWYLEENVAT
HGSQDPGSINLQDETFLESNKMHAINGKLYANLRGLTMYQGERVAWYMLAMGQDVDLHTIHFH
AESFLYRNGENYRADVVDLFPGTFEVVEMVASNPGTWLMHCHVTDHVHAGMETLFTVFSRTEH
LSPLTVITKETEKVPPRDIEEGNVKMLGMQIPIKNVEMLASVLVAISVTLLLVVLALGGVVWY
QHRQRKLRRNRRSILDDSFKLLSFKQ

Signal peptide:

amino acids 1-21

Transmembrane domain:

amino acids 1109-1130

N-glycosylation sites.

amino acids 167-171, 239-243, 591-595, 717-721, 761-765, 832-836, 876-880, 934-938

Glycosaminoglycan attachment site.

amino acids 871-875

Tyrosine kinase phosphorylation sites.

amino acids 82-90, 137-145, 494-502, 513-521

N-myristoylation sites.

amino acids 212-218, 313-319, 498-504, 566-572, 672-678, 778-784, 843-849

Multicopper oxidases signature 1.

amino acids 344-365, 696-717, 1043-1064

Multicopper oxidases signature 2.

amino acids 1048-1060

FIGURE 235

GGAAAGAGTGCTGGTACTACAACCAGGAAGTGACAGATAATGTGCTTTAAACTACATTAGAAAAGCTTCTCATAG
CAAAACTGAGAGATTGAAGCAGTGATTATTTTTACATAGTTGTCATTAAATATTTGGAGCTCTGCTGTGCATAGA
GATGGCAACATACTTAGAATACACAGCTTTCTGGGCCAGAAATTGATCTTCTGACTTTTGAGCCTTATCTGATTA
CTGCTTGGTTCATCTTTATTTTGTTAAACTACTCTGTAGGCTGAAAGGGAGAGACTCTCCTTGGTTTGCAGAGCC
TGACTAGACAGGAATTCTGGCAACTGCTCCAGCAGAACTATGGCACTGAGCTAGGTTTAAATGCTGAGGAG**ATG**G
AAAACTTGTCACTGTCGATTGAGGATGTGCAGCCAAGAAGTCCAGGAAGAAGCAGCTTGGATGACTCTGGGGAGA
GAGATGAAAAATTATCCAAGTCAATCAGTTTTACCAGTGAATCAATTAGTCGGGTTTCAGAAACAGAGTCATTCG
ATGGAAATTCATCAAAAGGAGGATTAGGCAAAGAGGAGTCCCAAAATGAGAAACAGACCAAAAAGAGTCTCTTAC
CAACTTTGGAAAAGAAGTTAACTAGAGTGCCATCAAAGTCACTGGACTTGAATAAAAATGAATATCTTTCTCTGG
ACAAAAGCAGCACTTCAGATTCTGTTGATGAAGAAAATGTTCCTGAGAAAGATCTTCATGGAAGACTTTTTATCA
ACCGTATTTTTCATATCAGTGCTGACAGAATGTTTGAATTGCTCTTTACCAGTTCACGCTTTATGCAGAAATTTG
CCAGTTCTAGAAATATAATAGATGTAGTATCTACCCCTTGGACTGCAGAACTTGGAGGTGATCAGCTGAGAACGA
TGACCTACACTATAGTCCTTAATAGTCCACTTACTGGAAAATGCACTGCTGCCACTGAAAAGCAGACACTGTATA
AAGAAAGTCGGGAAGCACGATTTTATTTGGTAGATTCAGAAGTACTGACACATGATGTCCCCTACCATGATTACT
TCTATACCGTGAACAGATACTGTATCATCCGATCTTCAAAACAGAAATGCAGGCTAAGAGTTTCCACAGATTTGA
AATACAGAAAACAGCCATGGGGCCTTGTCAAATCTTTAATTGAAAAGAATTCCTGGAGTTCTTTGGAGGACTATT
TCAAACAGCTTGAATCAGATTTGTTAATTGAAGAATCTGTATTAAATCAGGCCATTGAAGACCCTGGAAAACTTA
CTGGCCTACGAAGGAGAAGGCGAACCTTCAACCGAACAGCAGAAACAGTTCCTAAACTTTCCTCTCAGCATTCCT
CTGGAGATGTGGGCTTAGGTGCCAAAGGGGATATTACAGGAAAGAAAAAGGAAATGGAAAACTATAACGTCACTC
TTATTGTGGTAATGAGTATTTTTGTGTTGTTATTAGTTTTGTTGAATGTGACACTGTTTCTGAAGCTGTCAAAGA
TAGAACATGCTGCTCAGTCCTTTTACCGTCTCCGCCTCCAAGAAGAGAAATCTTTAAATTTAGCCTCTGATATGG
TGTCAAGAGCAGAAACTATTCAGAAGAATAAAGATCAGGCCCATCGTTTAAAGGGAGTGCTCCGAGACTCCATAG
TGATGCTTGAACAGCTGAAGAGCTCACTCATTATGCTTCAGAAAACGTTTGATCTACTAAATAAGAATAAGACTG
GCATGGCTGTTGAAAGC**TAG**TGATCTGAAGGACTAAAACCGCAGAGATACTTGGAACTTAAAGAAAATACCTGGA
AGAAAACCAGACGAATGAAGGATTTTGGCATAGAACATTTCTATGTTTTTTCATTATTGAGATTTCTAATATGAA
CATTTCTTTCAGTAACATTTATTTGATAATTAGTTTCTGCTGGCCTTAATAATCCATCCTTTCACTTCTTATAGA
TATTTTTAAGCTGTGAATTTCTTCAGTGAACCATGAAATATATTATAGAACTGAATTTCTCTGATACAAAAAGAA
AATGACACACCCTGAATTGAGTGGTATGGTCTCATTTCTACAGTGAAGTCTGATGCTTTGTTAGCACAGAATCCG
TACATGTCCAATAGGTCGCTTTTGTAACTGAGATAAGACCAAGAGGATAAACAGGACAATATAAGAAGAAACCTC
TATGTCATTACTGATTTTAAAGGTTCTGTTTTCAGGCATATAACATTTCCAGGTTTGTGTACTGTAAAGATTATA
ATGTCTTCATTTATTTAGCATGCAAATTTAATAGTCAAACTTTTTGAATCTGCATGTTGATGATGATTATCAGAA
AGGGTCTTCTGCCATGCTGTATCTTTATGAAAGAAATAGTTGTTTTTTCTTAAGGTAACTATCAGAGGTGGGATT
ATCTTGCCTCCTCACTTAGAATACCAACAGTCAAAAGGAAGAACCATCCTCTGAGTTTTAAAAACCAGAAGGTTA
TGTTAAAATCTGGGCATTTAGTGACAGATCAAATGCATACTTGAACTAAGATTGGCTTCAGCTTAGCAGTCTTTC
ATGGTGGAAGTGACACATCTGGTTGAAAATAATTTGTGTATTTTCAGTAACCATGTATGGCTTCCTTCTTTATGT
ATGTGTGTGACTTGTTTTAATTGGTAAGTTATAAGCCAGACATAGATTTTAGCTCTTTAATAAAAACTTCAGGGG
CACGTATGTCCCAGTACAAGTGTACTGACTATCAAGTTTTAACTCAGATGCAAGCTTTGGCTCTTTCATAAAAAG
TTTTTATGCATATGTGTCTCCATACAAGTGGCTCATTAAAATAAGAACTTTGTAAACTGACTTAAAATCAGATAT
TTTTTCAAGAGTTAGGGAAAGTTGAAGTGTTTTACTGTTTTGTCTCTTGAGCCCTTTCTCTGGGGAAAAAATACA
TATCCATCTATCTATCTATATATAAACTGTGTATACATTCTTACTGTTTGAACAACTATTGCCTTTAATTAAATG
TTTCATTTTTCTCCAGAGTCCCCAAAGCCACATGGCATTATTATAGTCATTTTTGAGATGCCTGTAGAGAATGAA
AGTATTGACTCCGTTAGAGGGAAAATGGGTTTCTCTGGGTGAATTCCAACGAAGCATACCTAGGGGTAACAGTGA
ACCTACCTGGGTTTGTTTTGTTTTGGTAAGGATTTATGTAGTGTCTGGCTGTAAGCAAGAATGAGTGGATTATAA
ACTTGAAGATTTCTCTGTTAAAGTCACAAAAATGATCGACAAACAATATTTTTGTGATGTTTATTTAAACGTTGT
ATTTTATAACATACTTCAAGGAAGAGTATCGAAGTAAGTTGCTTTATAAATTAAGACTAAATTCGTATGGATGCA
GAATTCAATTAATAAAATTTGAGCCTGTTACGTAAATTGAATATTAATAAAATTGAAAATTTCAAAA

FIGURE 236

MENLSLSIEDVQPRSPGRSSLDDSGERDEKLSKSISFTSESISRVSETESFDGNSSKGGLGKE
ESQNEKQTKKSLLPTLEKKLTRVPSKSLDLNKNEYLSLDKSSTSDSVDEENVPEKDLHGRLFI
NRIFHISADRMFELLFTSSRFMQKFASSRNIIDVVSTPWTAELGGDQLRTMTYTIVLNSPLTG
KCTAATEKQTLYKESREARFYLVDSEVLTHDVPYHDYFYTVNRYCIIRSSKQKCRLRVSTDLK
YRKQPWGLVKSLIEKNSWSSLEDYFKQLESDLLIEESVLNQAIEDPGKLTGLRRRRRTFNRTA
ETVPKLSSQHSSGDVGLGAKGDITGKKKEMENYNVTLIVVMSIFVLLLVLLNVTLFLKLSKIE
HAAQSFYRLRLQEEKSLNLASDMVSRAETIQKNKDQAHRLKGVLRDSIVMLEQLKSSLIMLQK
TFDLLNKNKTGMAVES

Transmembrane domain:
amino acids 352-371

N-glycosylation sites.
amino acids 3-7, 54-58, 312-316, 349-353, 367-371, 449-453

cAMP- and cGMP-dependent protein kinase phosphorylation sites.
amino acids 81-85, 307-311

Tyrosine kinase phosphorylation sites.
amino acids 202-211, 246-254, 341-349

N-myristoylation site.
amino acids 259-265

Amidation site.
amino acids 339-343

FIGURE 237

CAGGGGCTGGAGGGCAGGGGAGGGG**ATG**ATGTCATTCCTGCTCGGCGCAATCCTGACCCTGCT
CTGGGCGCCCACGGCTCAGGCTGAGGTTCTGCTGCAGCCTGACTTCAATGCTGAAAAGTTCTC
AGGCCTCTGGTACGTGGTCTCCATGGCATCTGACTGCAGGGTCTTCCTGGGCAAGAAGGACCA
CCTGTCCATGTCCACCAGGGCCATCAGGCCCACAGAGGAGGGCGGCCTCCACGTCCACATGGA
GTTCCCGGGGGCGGACGGCTGTAACCAGGTGGATGCCGAGTACCTGAAGGTGGGCTCCGAGGG
ACACTTCAGAGTCCCGGCCTTGGGCTACCTGGACGTGCGCATCGTGGACACAGACTACAGCTC
CTTCGCCGTCCTTTACATCTACAAGGAGCTGGAGGGGGCCCTCAGCACCATGGTGCAGCTCTA
CAGCCGGACCCAGGATGTGAGTCCCCAGGCTCTGAAGTCCTTCCAGGACTTCTACCCGACCCT
GGGGCTCCCCAAGGACATGATGGTCATGCTGCCCCAGTCAGATGCATGCAACCCTGAGAGCAA
GGAGGCGCCC**TGA**CACCTCCGGAGCCCCACCCCCGCCCTTCCCAGGTGGAGCCAAAGCAGCAG
GCGCCTTTGCCCCTGGAGTCAAGACCCACAGCCCTCGGGGACCACCTGGAGTCTCTCCATCCT
CCACCCCCCGCCTGTGGGATGCCTTGTGGGACGTCTCTTTCTATTCAATAAACAGATGCTGCA
GCCTCA

FIGURE 238

MMSFLLGAILTLLWAPTAQAEVLLQPDFNAEKFSGLWYVVSMASDCRVFLGKKDHLSMSTRAI
RPTEEGGLHVHMEFPGADGCNQVDAEYLKVGSEGHFRVPALGYLDVRIVDTDYSSFAVLYIYK
ELEGALSTMVQLYSRTQDVSPQALKSFQDFYPTLGLPKDMMVMLPQSDACNPESKEAP

Signal peptide:
amino acids 1-20

Tyrosine kinase phosphorylation site.
amino acids 110-117

N-myristoylation sites.
amino acids 7-13, 79-85, 130-136

Amidation site.
amino acids 50-54

FIGURE 239

GGCGCGCTGGTCCAGGTGAGCGGGCGCGTCCCCGCGACGGCGCTGCCTGCCCGAGGCGGTTCA
CGTAAAGACAGCGAGATCCTGAGGGCCAGCCGGGAAGGAGGCGTGGATATGGAGCTGGCTGCT
GCCAAGTCCGGGGCCCGCGCCGCTGCCTAGCGCGTCCTGGGGACTCTGTGGGGACGCGCCCCG
CGCCGCGGCTCGGGGACCCGTAGAGCCCGGCGCTGCGCGC**ATG**GCCCTGCTCTCGCGCCCCGC
GCTCACCCTCCTGCTCCTCCTCATGGCCGCTGTTGTCAGGTGCCAGGAGCAGGCCCAGACCAC
CGACTGGAGAGCCACCCTGAAGACCATCCGGAACGGCGTTCATAAGATAGACACGTACCTGAA
CGCCGCCTTGGACCTCCTGGGAGGCGAGGACGGTCTCTGCCAGTATAAATGCAGTGACGGATC
TAAGCCTTTCCCACGTTATGGTTATAAACCCTCCCCACCGAATGGATGTGGCTCTCCACTGTT
TGGTGTTCATCTTAACATTGGTATCCCTTCCCTGACAAAGTGTTGCAACCAACACGACAGGTG
CTATGAGACCTGTGGCAAAAGCAAGAATGACTGTGATGAAGAATTCCAGTATTGCCTCTCCAA
GATCTGCCGAGATGTACAGAAAACACTAGGACTAACTCAGCATGTTCAGGCATGTGAAACAAC
AGTGGAGCTCTTGTTTGACAGTGTTATACATTTAGGTTGTAAACCATATCTGGACAGCCAACG
AGCCGCATGCAGGTGTCATTATGAAGAAAAAACTGATCTT**TAA**AGGAGATGCCGACAGCTAGT
GACAGATGAAGATGGAAGAACATAACCTTTGACAAATAACTAATGTTTTTACAACATAAAACT
GTCTTATTTTTGTGAAAGGATTATTTTGAGACCTTAAAATAATTTATATCTTGATGTTAAAAC
CTCAAAGCAAAAAAAGTGAGGGAGATAGTGAGGGGAGGGCACGCTTGTCTTCTCAGGTATCTT
CCCCAGCATTGCTCCCTTACTTAGTATGCCAAATGTCTTGACCAATATCAAAAACAAGTGCTT
GTTTAGCGGAGAATTTTGAAAAGAGGAATATATAACTCAATTTTCACAACCACATTTACCAAA
AAAAGAGATCAAATATAAAATTCATCATAATGTCTGTTCAACATTATCTTATTTGGAAAATGG
GGAAATTATCACTTACAAGTATTTGTTTACTATGAAATTTTAAATACACATTTATGCCTAGAA
GGAACGGACTTTTTTTTTCTATTTTAATTACACATAATATGTAATTAAAGTACAACATAATAT
GTTGTTTCTCTGTAGCCCGTTGAGCATATGAGTAAGTCACATTTCTATTAGGACTACTTACAA
GGACAAGGTTTCCATTTTTCCAGTTGTAAAATTGGAACCATCAGCTGATAACCTCGTAGGGAG
CAACCCCAGGATAGCTAAGTGTTATGTAATATGCCTAGAAGGTGATGTGAATGCGATTCAGAA
GCATAGCCACTCCCATTTTATGAGCTACTCACATGACAAATGTCATCTTTTGCTATAACCTTT
GCCAAGTTAGAGAAAAGATGGATTTAATGAGATAAATGAAAAGATATTTAACCTAAAAAAAAA
AAAAAAAAAAAAAAAAA

FIGURE 240

MALLSRPALTLLLLLMAAVVRCQEQAQTTDWRATLKTIRNGVHKIDTYLNAALDLLGGEDGLC
QYKCSDGSKPFPRYGYKPSPPNGCGSPLFGVHLNIGIPSLTKCCNQHDRCYETCGKSKNDCDE
EFQYCLSKICRDVQKTLGLTQHVQACETTVELLFDSVIHLGCKPYLDSQRAACRCHYEEKTDL

Important features:

Signal peptide:

amino acids 1-22

N-myristoylation sites:

amino acids 57-63,93-99

Phospholipase A2 histidine active site:

amino acids 106-114

Neuraxin and MAP1B proteins repeat proteins Block:

amino acids 109-137

FIGURE 241

GATTCCGAGCGCCTCCACTGCTGGTCCGTTGGCCAGATCAACTCGCCGCGTGGGCCGGCCGTT
CCCTGAGAGTCTGAGCGCTCGCCGCACCCCCTTCCGAGCTTCTATTGGCCGTAGCAGACGTCC
GTCTGCCGCTATCTCCGCCCCAATACGGAAGCGGCCTAGTCCTCCGGCTCCGACAGCTGGGTG
TCCAGGCC**ATG**GGGCAGCCCTGGGCGGCTGGGAGCACGGACGGGGCGCCCGCGCAGCTGCCTC
TCGTGCTCACCGCGCTGTGGGCCGCGGCCGTGGGCCTGGAGCTGGCTTACGTGCTGGTGCTCG
GTCCCGGGCCGCCGCCGCTGGGACCCCTGGCCCGGGCCTTGCAGCTGGCGCTGGCCGCCTTCC
AGCTGCTCAACCTGCTGGGCAACGTGGGGCTCTTCCTGCGCTCGGATCCCAGCATCCGTGGCG
TGATGCTGGCCGGCCGCGGTCTGGGCCAGGGCTGGGCTTACTGCTACCAATGCCAAAGCCAGG
TGCCGCCACGCAGCGGACACTGCTCTGCCTGCCGCGTCTGCATCCTGCGTCGGGACCACCACT
GCCGCCTGCTGGGCCGCTGCGTGGGCTTCGGCAACTACCGGCCCTTCCTGTGCCTGCTGCTTC
ATGCCGCCGGCGTCCTGCTCCACGTCTCTGTGCTGCTGGGCCCTGCACTGTCGGCCCTGCTGC
GAGCCCACACGCCCCTCCACATGGCTGCCCTCCTCCTGCTTCCCTGGCTCATGTTGCTCACAG
GCAGAGTGTCTCTGGCACAGTTTGCCTTGGCCTTCGTGACGGACACGTGCGTGGCGGGTGCGC
TGCTGTGCGGGGCTGGGCTGCTCTTCCATGGGATGCTGCTGCTGCGGGGCCAGACCACATGGG
AGTGGGCTCGGGGCCAGCACTCCTATGACCTGGGTCCCTGCCACAACCTGCAGGCAGCCCTGG
GGCCCCGCTGGGCCCTCGTCTGGCTCTGGCCCTTCCTGGCCTCCCCATTGCCTGGGGATGGGA
TCACCTTCCAGACCACAGCAGATGTGGGACACACAGCCTCC**TGA**CTCCAGGAAGAGCCAGAGC
TGTGCAGGGAGGAAGGGGTGAGAGGGGGGCCCCCACACCTAGACTCAGTAAGGAAGTCGGGTT
GGACCTTAACATCTGCATTGGACAACTCCACCCCTTCCTTGGCCTTGCCCCTGCCCGCCTACA
CTCCTACGTGTCCAGGGCTTGGGCCGTGACTTAGGCAGAGGAGTGCAGAGGAGGGTCTGGCAG
GGGCTGCTCAGGCCGCCTAGCTGCCCCTTTGCCAGGTTAATAAAGCACTGACTTGTTAA

FIGURE 242

MGQPWAAGSTDGAPAQLPLVLTALWAAAVGLELAYVLVLGPGPPPLGPLARALQLALAAFQLL
NLLGNVGLFLRSDPSIRGVMLAGRGLGQGWAYCYQCQSQVPPRSGHCSACRVCILRRDHHCRL
LGRCVGFGNYRPFLCLLLHAAGVLLHVSVLLGPALSALLRAHTPLHMAALLLLPWLMLLTGRV
SLAQFALAFVTDTCVAGALLCGAGLLFHGMLLLRGQTTWEWARGQHSYDLGPCHNLQAALGPR
WALVWLWPFLASPLPGDGITFQTTADVGHTAS

Important features:

Signal peptide:

amino acids 1-30

Transmembrane domain:

amino acids 51-66,143-160,174-191,198-214

N-myristoylation sites:

amino acids 2-8,8-14,30-36,81-87,88-94,90-96,206-212

Leucine zipper pattern:

amino acids 143-165,150-172,157-179,164-186

FIGURE 243

CTTGTCTTTGTGTCGGTTGTGATTTTCCTAATCTCTGATTTTCCTTTTCTCTCGGACGCTCTC
CCTCTTCGGACCCATTTTCTCCCGTGCTTCATGCCCTGATAGCCTGGCCCCTTCCCGGCTTCC
TTCGCTACCGGGGACGCCTCTAGTTTTTCTGAATTTCTGGCTGGCTCCACCCTCCGCGTTCAT
CTTCCTCAAGAGTTCGCCCCTCTGGGGGCTCCTCTGTGTAATCGTCGCCTTCTCTGGGTATTT
CTGTGAACTCCGTCTCACACCATCCCGCCATCTTCTCTGCCTTGGCCCCTTTTCTCTGTACAG
CCAGCTCTGTGTCCTTTTCTTCTCCCCCTCTAAAATCGACTCCTCTTCTCCCTGAGAGCCCCA
CCTTTGTGCCCCACTCCTCATTTTCCTACGCCTCCCTCTCTCTGCTGGTCCTCTCTCTCCCTG
CAAGGTTCCATTCCATCAATTTGTTTGTCTTTTGTAGGGGTGGCATCCCCTCTGACTACTGCT
CCATCCTTTTTTTTTTTTTTTTTTTTTTTTTTGCTTGAGGATTTCACTTCAATCTTTTCTGGT
TGCGTCTCCACTTGTACTCAGCTTGTTAGGTCCAGGTCCAGTTGTTCTGCATCTGAGGCTGGC
GTGTGCTGTCTTCTCTGATTGGCCTAATCTCCCTCACCCCCGTGAGATCTGTTGTCAGCCTTC
GTTTCTCTTTCCTGTGTCCCAGCTTTTCTGCGGGTCTTGGCACCTTTCTTGGCCACAGATTTC
TGGGTTACAGAGCATGTGTGTCTGAGGCATTGCAGGCAGAAAAGGGTGGCCGACGTGACCTCT
AGCTGGACTGCTGGGCAGGGGAGCTGTCCTAGATAAAATTGGAAAGAAACAGTGACCCAGAGA
CAGGTGGACAAAGAATTCGGGGACTGATGGGAACTGAGCTTGGGATCCAGACTGAAACTGATT
CCAGACTGACCTCTAGCACCCAGGACCCAGACACAGGGCC**ATG**GGACCCCAGCATTTGAGACT
TGTGCAGCTGTTCTGCCTTCTAGGGGCCATCCCCACTCTGCCTCGGGCTGGAGCTCTTTTGTG
CTATGAAGCAACAGCCTCAAGATTCAGAGCTGTTGCTTTCCATAACTGGAAGTGGCTTCTGAT
GAGGAACATGGTGTGTAAGCTGCAAGAGGGCTGCGAGGAGACGCTAGTGTTCATTGAGACAGG
GACTGCAAGGGGAGTTGTGGGCTTTAAAGGCTGCAGCTCGTCTTCGTCTTACCCTGCGCAAAT
CTCCTACCTTGTTTCCCCACCCGGAGTGTCCATTGCCTCCTACAGTCGCGTCTGCCGGTCTTA
TCTCTGCAACAACCTCACCAATTTGGAGCCTTTTGTGAAACTCAAGGCCAGCACTCCTAAGTC
TATCACATCTGCGTCCTGTAGCTGCCCGACCTGTGTGGGCGAGCACATGAAGGATTGCCTCCC
AAATTTTGTCACCACTAATTCTTGCCCCTTGGCTGCTTCTACGTGTTACAGTTCCACCTTAAA
ATTTCAGGCAGGGTTTCTCAATACCACCTTCCTCCTCATGGGGTGTGCTCGTGAACATAACCA
GCTTTTAGCAGATTTTCATCATATTGGGAGCATCAAAGTGACTGAGGTCCTCAACATCTTAGA
GAAGTCTCAGATTGTTGGTGCAGCATCCTCCAGGCAAGATCCTGCTTGGGGTGTCGTCTTAGG
CCTCCTGTTTGCCTTCAGGGAC**TGA**CCATCTAGCTGCACCCGACAAGCACCCAGACTCTTTCA
CATAACAAATAAAATAGCAGAGTTCCCTTAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
AAAAAAAAA

FIGURE 244

MGPQHLRLVQLFCLLGAIPTLPRAGALLCYEATASRFRAVAFHNWKWLLMRNMVCKLQEGCEE
TLVFIETGTARGVVGFKGCSSSSSYPAQISYLVSPPGVSIASYSRVCRSYLCNNLTNLEPFVK
LKASTPKSITSASCSCPTCVGEHMKDCLPNFVTTNSCPLAASTCYSSTLKFQAGFLNTTFLLM
GCAREHNQLLADFHHIGSIKVTEVLNILEKSQIVGAASSRQDPAWGVVLGLLFAFRD

Important features:

Signal peptide:

amino acids 1-20

N-glycosylation sites:

amino acids 117-121,183-187

N-myristoylation sites:

amino acids 16-22,25-31,60-66,71-77,81-87,100-106,224-230,
235-241,239-245

Prokaryotic membrane lipoprotein lipid attachment site:

amino acids 181-192

FIGURE 245

GTGGAGTTGGGTGGTGTCGGGAGCCTCTCCCTGAGGGCACCGCGTCTTCAGGAGCTGGGCCTCCAGTGCGGCGC
GATGTCAGGCGCGGTGACAGCTCTGTGAGTCCGAGGCCGCGGCCGTGGCGCTGGGCGGCTGCGGGGCCTGACCGG
TCCGCTC**ATG**GTGCCGCCACGACGCCATCGCGGGGCAGGAAGGCCAGGGGTGCTGAGTTCTTCACCTCCTTTTAG
ACTGAGATCTGCCAAGTTTTCCGGCATTGCTCTTGAGGATCTCAGAAGGGCTCTTAAGACAAGACTGCAAATGGT
GTGTGTATTTGTCATGAACCGAATGAATTCCCAGAACAGTGGTTTCACTCAGCGCAGGCGAATGGCTCTTGGGAT
TGTTATTCTTCTGCTTGTTGATGTGATATGGGTTGCTTCCTCTGAACTTACTTCGTATGTTTTTACCCAGTACAA
CAAACCATTCTTCAGCACCTTTGCAAAAACATCTATGTTTGTTTTGTACCTTTTGGGCTTTATTATTTGGAAGCC
ATGGAGACAACAGTGTACAAGAGGACTTCGCGGAAAGCATGCTGCTTTTTTTGCAGATGCTGAAGGTTACTTTGC
TGCTTGCACAACAGATACAACTATGAATAGTTCTTTGAGTGAACCTCTGTATGTGCCTGTGAAATTCCATGATCT
TCCAAGTGAAAAACCTGAGAGCACAAACATTGATACTGAAAAAACCCCCAAAAAGTCTCGTGTGAGGTTCAGTAA
TATCATGGAGATTCGACAGCTTCCGTCAAGTCATGCATTGGAAGCAAAGTTGTCTCGCATGTCATATCCTGTGAA
AGAACAAGAATCCATACTGAAAACTGTGGGGAAACTTACTGCAACTCAAGTAGCGAAAATTAGCTTTTTTTTTTG
CTTTGTGTGGTTTTTGGCAAATTTGTCATATCAAGAAGCACTTTCAGACACACAAGTTGCTATAGTTAATATTTT
ATCTTCAACTTCCGGACTTTTTACCTTAATCCTTGCTGCAGTATTTCCAAGTAACAGTGGAGATAGATTTACCCT
TTCTAAACTATTAGCTGTAATTTTAAGCATTGGAGGCGTTGTACTGGTAAACCTGGCAGGGTCTGAAAAACCTGC
TGGAAGAGACACAGTAGGTTCCATTTGGTCTCTTGCTGGAGCCATGCTCTATGCTGTCTATATTGTTATGATTAA
GAGAAAAGTAGATAGAGAAGACAAGTTGGATATTCCAATGTTCTTTGGTTTTGTAGGTTTGTTTAATCTGCTGCT
CTTATGGCCAGGTTTCTTTTTACTTCATTATACTGGATTTGAGGACTTCGAGTTTCCCAATAAAGTAGTATTAAT
GTGCATTATCATTAATGGCCTTATTGGAACAGTACTCTCAGAGTTCCTGTGGTTGTGGGGCTGCTTTCTTACCTC
ATCATTGATAGGCACACTTGCACTAAGCCTTACAATACCTCTGTCCATAATAGCTGACATGTGTATGCAAAAGGT
GCAGTTTTCTTGGTTATTTTTTGCAGGAGCTATCCCTGTATTTTTTTCATTTTTTATTGTAACTCTCCTATGCCA
TTATAATAATTGGGATCCTGTGATGGTGGGAATCAGAAGAATATTTGCTTTTATATGCAGAAAACATCGAATTCA
GAGAGTTCCAGAAGACAGCGAACAGTGTGAGAGTCTCATTTCTATGCACAGTGTTTCTCAGGAGGATGGAGCTAG
T**TAG**CTGTCTGTTGTCTGTAGCCCAGCTTGATAATGGAACTATACAGCGAAGAGACAATCTCTGGCAAGTTTTTG
TAGAAAAAATGTTTCAGTGCCTAGTCTGAAAAATAACAGTTTGAGTTCTTTGAAACTCTAAAATATATTTTTCTC
ATACCTGTTTTCTTCATTTTCATAATGAAGCACTTTGCTATGTAGCTGTGTACATATCACTACAGTTATAGGAAG
TTTCAGTCTACAGTCCATCCAAAGGACCAACCTGCCTTACACATCTCAAGGAATTCAGCTGTTGAAATCATTTGA
ACTAATCAAGGAATAAATCCTAATGTTCTGGGACTTTATTTTCACATGTTAAATGCTGGAATATATTATGAAAAT
GTTTTCAAGAAATCACTTAAGTGTTCATAGACCAGTATTTCTGACAGGTAAAATGCTAAAATAAGCTACCTGTAA
TAAGTGTGGATTATATTTTTGGGTTTTGTAGAATATTGCAAATTAACCACACAAAAAATGTTTAATTTATGCAAC
AAGCATGTTTGTGCAAATTTCATGGGACTTTAAAAAGAATAAGTATTTGAGAAAATATCTGGTTCACTTACACTA
CATTTACTGTATTATTCTTTTATAGCATTAGGTGCCTTGTATTTTAAATCTGTGACAAACCATGGCAAATTTTTA
AAGGGGAAGTATTATTATAAAATGAAGAAATATGTATTTCTAAAGGCTATATTGCTGTAAACTTAATTGATAAAG
CTCTGTTTAATTTAGAGTTTTGAAGAAATAGTCTCCCTTCAATTAAGAAATTTTCATAATGGAATGATTTAAATT
GAAGTGACAAAGAGTATTATTAAAATACAATGTTTATAAAAAAA

FIGURE 246

MVPPRRHRGAGRPGVLSSSPPFRLRSAKFSGIALEDLRRALKTRLQMVCVFVMNRMNSQNSGF
TQRRRMALGIVILLLVDVIWVASSELTSYVFTQYNKPFFSTFAKTSMFVLYLLGFIIWKPWRQ
QCTRGLRGKHAAFFADAEGYFAACTTDTTMNSSLSEPLYVPVKFHDLPSEKPESTNIDTEKTP
KKSRVRFSNIMEIRQLPSSHALEAKLSRMSYPVKEQESILKTVGKLTATQVAKISFFFCFVWF
LANLSYQEALSDTQVAIVNILSSTSGLFTLILAAVFPSNSGDRFTLSKLLAVILSIGGVVLVN
LAGSEKPAGRDTVGSIWSLAGAMLYAVYIVMIKRKVDREDKLDIPMFFGFVGLFNLLLLWPGF
FLLHYTGFEDFEFPNKVVLMCIIINGLIGTVLSEFLWLWGCFLTSSLIGTLALSLTIPLSIIA
DMCMQKVQFSWLFFAGAIPVFFSFFIVTLLCHYNNWDPVMVGIRRIFAFICRKHRIQRVPEDS
EQCESLISMHSVSQEDGAS

Important features:

Transmembrane domain:

amino acids 69-87,105-118,237-256,266-285,300-316,332-346,
364-379,399-419,453-472

N-glycosylation sites:

amino acids 157-161,255-259

N-myristoylation sites:

amino acids 14-20,329-335,404-410,407-413,418-424

FIGURE 247

CGTCTGTAGAGATATCATGAACTTCAACTTAGCTTTGGTACTTTCTTCCCTGAAGACAGAGGG
CAGAACTCTGAGTTCCAGAACCATTTTCAACTGTATTGGGGACCAATCACTTGACTCTATTCT
TGTCTCTCTGACAGATGACGCTACACTCTCCTCTGAATAATGGACACCATTTCTAAAACTGAA
TCCTGCTACTAAAATAATTCAGATGATATATTTTTCCAATTCTACAATCTTGCTTTGTTTTAT
TTAGTTGTTTTCTCTCTCTCTTCCCAGTTTTCCAGAGACTGGAGCTAAACTGGGCTTTCAACA
TCATC**ATG**AAGTTTATCCTCCTCTGGGCCCTCTTGAATCTGACTGTTGCTTTGGCCTTTAATC
CAGATTACACAGTCAGCTCCACTCCCCCTTACTTGGTCTATTTGAAATCTGACTACTTGCCCT
GCGCTGGAGTCCTGATCCACCCGCTTTGGGTGATCACAGCTGCACACTGCAATTTACCAAAGC
TTCGGGTGATATTGGGGGTTACAATCCCAGCAGACTCTAATGAAAAGCATCTGCAAGTGATTG
GCTATGAGAAGATGATTCATCATCCACACTTCTCAGTCACTTCTATTGATCATGACATCATGC
TAATCAAGCTGAAAACAGAGGCTGAACTCAATGACTATGTGAAATTAGCCAACCTGCCCTACC
AAACTATCTCTGAAAATACCATGTGCTCTGTCTCTACCTGGAGCTACAATGTGTGTGATATCT
ACAAAGAGCCCGATTCACTGCAAACTGTGAACATCTCTGTAATCTCCAAGCCTCAGTGTCGCG
ATGCCTATAAAACCTACAACATCACGGAAAATATGCTGTGTGTGGGCATTGTGCCAGGAAGGA
GGCAGCCCTGCAAGGAAGTTTCTGCTGCCCCGGCAATCTGCAATGGGATGCTTCAAGGAATCC
TGTCTTTTGCGGATGGATGTGTTTTGAGAGCCGATGTTGGCATCTATGCCAAAATTTTTTACT
ATATACCCTGGATTGAAAATGTAATCCAAAATAAC**TGA**GCTGTGGCAGTTGTGGACCATATGA
CACAGCTTGTCCCCATCGTTCACCTTTAGAATTAAATATAAATTAACTCCTC

FIGURE 248

MKFILLWALLNLTVALAFNPDYTVSSTPPYLVYLKSDYLPCAGVLIHPLWVITAAHCNLPKLR
VILGVTIPADSNEKHLQVIGYEKMIHHPHFSVTSIDHDIMLIKLKTEAELNDYVKLANLPYQT
ISENTMCSVSTWSYNVCDIYKEPDSLQTVNISVISKPQCRDAYKTYNITENMLCVGIVPGRRQ
PCKEVSAAPAICNGMLQGILSFADGCVLRADVGIYAKIFYYIPWIENVIQNN

Important features:

Signal peptide:

amino acids 1-17

N-glycosylation sites:

amino acids 11-15,156-160,173-177

Tyrosine kinase phosphorylation site:

amino acids 108-117

N-myristoylation sites:

amino acids 182-188,203-209

Amidation site:

amino acids 185-189

Serine proteases, trypsin family, histidine active site:

amino acids 52-58

FIGURE 249

GCGAGGCGGCCGCTGTCTTCTGCTGCGGCTTCCGCGACCACAAGTACTGCTGCGACGACCCGC
ACAGCTTCTTCCCCTACGAGCACAGCTAC**ATG**TGGTGGCTCAGCATTGGCGCTCTCATAGGCC
TGTCCGTAGCAGCAGTGGTTCTTCTCGCCTTCATTGTTACCGCCTGTGTGCTCTGCTACCTGT
TCATCAGCTCTAAGCCCCACACAAAGTTGGACCTGGGCTTGAGCTTACAGACAGCAGGCCCTG
AGGAGGTTTCTCCTGACTGCCAAGGTGTGAACACAGGCATGGCGGCAGAAGTGCCAAAAGTGA
GCCCTCTCCAGCAGAGTTACTCCTGCTTGAACCCGCAGCTGGAGAGCAATGAGGGGCAGGCTG
TGAACTCCAAACGCCTCCTCCATCATTGCTTCATGGCCACAGTGACCACCAGTGACATTCCAG
GCAGCCCTGAGGAAGCCTCTGTACCCAACCCTGACCTATGTGGACCAGTCCCA**TAA**ACATTCA
ATAAATGTCTCCATACCATCAA

FIGURE 250

MWWLSIGALIGLSVAAVVLLAFIVTACVLCYLFISSKPHTKLDLGLSLQTAGPEEVSPDCQGV
NTGMAAEVPKVSPLQQSYSCLNPQLESNEGQAVNSKRLLHHCFMATVTTSDIPGSPEEASVPN
PDLCGPVP

Important features:

Signal peptide:

Amino acids 1-26

N-myristoylation sites:

Amino acids 7-13,11-17,62-68,93-99

FIGURE 251

GTGGTTTGGATTGAGCCGGGCCCGGCCGGGGCGCCGAGTCGGAGGGGGTGGCAGTGAGCGGCG
GCAGAGGCTACGGGGCTCGGTTTGGCTGACTGGGGAGTCGGCAGGCGGCAGGAACC**ATG**CGAG
GCCAGCGGAGCCTGCTGCTGGGCCCGGCCCGCCTCTGCCTCCGCCTCCTTCTGCTGCTGGGTT
ACAGGCGCCGCTGTCCACCTCTACTCCGGGGTCTAGTACAGCGCTGGCGCTACGGCAAGGTCT
GCCTGCGCTCCCTGCTCTACAACTCCTTTGGGGGCAGTGACACCGCTGTTGATGCTGCCTTTG
AGCCTGTCTACTGGCTGGTAGACAACGTGATCCGCTGGTTTGGAGTGGTGTTCGTGGTCCTGG
TGATCGTGCTGACAGGCTCCATTGTAGCTATCGCCTACCTGTGTGTCCTGCCTCTCATCCTCC
GAACCTACTCAGTGCCACGACTCTGCTGGCATTTCTTCTATAGCCACTGGAATCTGATCCTGA
TTGTCTTCCACTACTACCAGGCCATCACCACTCCGCCTGGGTACCCACCCCAGGGCAGGAATG
ATATCGCCACCGTCTCCATCTGTAAGAAGTGCATTTACCCCAAGCCAGCCCGAACACACCACT
GCAGCATCTGCAACAGGTGTGTGCTGAAGATGGATCACCACTGCCCCTGGCTAAACAATTGTG
TGGGCCACTATAACCATCGGTACTTCTTCTCTTTCTGCTTTTTCATGACTCTGGGCTGTGTCT
ACTGCAGCTATGGAAGTTGGGACCTTTTCCGGGAGGCTTATGCTGCCATTGAGACTTATCACC
AGACCCCACCACCCACCTTCTCCTTTCGAGAAAGGATGACTCACAAGAGTCTTGTCTACCTCT
GGTTCCTGTGCAGTTCTGTGGCACTTGCCCTGGGTGCCCTAACTGTATGGCATGCTGTTCTCA
TCAGTCGAGGTGAGACTAGCATCGAAAGGCACATCAACAAGAAGGAGAGACGTCGGCTACAGG
CCAAGGGCAGAGTATTTAGGAATCCTTACAACTACGGCTGCTTGGACAACTGGAAGGTATTCC
TGGGTGTGGATACAGGAAGGCACTGGCTTACTCGGGTGCTCTTACCTTCTAGTCACTTGCCCC
ATGGGAATGGAATGAGCTGGGAGCCCCCTCCCTGGGTGACTGCTCACTCAGCCTCTGTGATGG
CAGTG**TGA**GCTGGACTGTGTCAGCCACGACTCGAGCACTCATTCTGCTCCCTATGTTATTTCA
AGGGCCTCCAAGGGCAGCTTTTCTCAGAATCCTTGATCAAAAAGAGCCAGTGGGCCTGCCTTA
GGGTACCATGCAGGACAATTCAAGGACCAGCCTTTTTACCACTGCAGAAGAAAGACACAATGT
GGAGAAATCTTAGGACTGACATCCCTTTACTCAGGCAAACAGAAGTTCCAACCCCAGACTAGG
GGTCAGGCAGCTAGCTACCTACCTTGCCCAGTGCTGACCCGGACCTCCTCCAGGATACAGCAC
TGGAGTTGGCCACCACCTCTTCTACTTGCTGTCTGAAAAAACACCTGACTAGTACAGCTGAGA
TCTTGGCTTCTCAACAGGGCAAAGATACCAGGCCTGCTGCTGAGGTCACTGCCACTTCTCACA
TGCTGCTTAAGGGAGCACAAATAAAGGTATTCGATTTTTAAAAAAAAAAAAAAAAAAAAAAAA
AAAAAAAAAAAAA

FIGURE 252

MRGQRSLLLGPARLCLRLLLLLGYRRRCPPLLRGLVQRWRYGKVCLRSLLYNSFGGSDTAVDA
AFEPVYWLVDNVIRWFGVVFVVLVIVLTGSIVAIAYLCVLPLILRTYSVPRLCWHFFYSHWNL
ILIVFHYYQAITTPPGYPPQGRNDIATVSICKKCIYPKPARTHHCSICNRCVLKMDHHCPWLN
NCVGHYNHRYFFSFCFFMTLGCVYCSYGSWDLFREAYAAIETYHQTPPPTFSFRERMTHKSLV
YLWFLCSSVALALGALTVWHAVLISRGETSIERHINKKERRRLQAKGRVFRNPYNYGCLDNWK
VFLGVDTGRHWLTRVLLPSSHLPHGNGMSWEPPPWVTAHSASVMAV

Important features:

Transmembrane domain:

amino acids 88-100,202-216,254-274

N-myristoylation sites:

amino acids 55-61,56-62,92-98,210-216,309-315,319-325,340-346

Prokaryotic membrane lipoprotein lipid attachment site:

amino acids 201-212

FIGURE 253

GATCAAGCGCCTTCCTTTCCCTTCCTCTCCCTACTTGGCCTTTGCCCTAAGCCAAGACCTGGCCATCAGCCTGGC
TGCAGGGGCCTGCAGAGCCAGCTGCACTTTTTCAGGTATGGGGGAGGGCCAGGCACC**ATG**AAGCCAGTGTGGGTC
GCCACCCTTCTGTGGATGCTACTGCTGGTGCCCAGGCTGGGGGCCGCCCGGAAGGGGTCCCCAGAAGAGGCCTCC
TTCTACTATGGAACCTTCCCTCTTGGCTTCTCCTGGGGCGTGGGCAGTTCTGCCTACCAGACGGAGGGCGCCTGG
GACCAGGACGGGAAAGGGCCTAGCATCTGGGACGTCTTCACACACAGTGGGAAGGGGAAAGTGCTTGGGAATGAG
ACGGCAGATGTAGCCTGTGACGGCTACTACAAGGTCCAGGAGGACATCATTCTGCTGAGGGAACTGCACGTCAAC
CACTACCGATTCTCCCTGTCTTGGCCCCGGCTCCTGCCCACAGGCATCCGAGCCGAGCAGGTGAACAAGAAGGGA
ATCGAATTCTACAGTGATCTTATCGATGCCCTTCTGAGCAGCAACATCACTCCCATCGTGACCTTGCACCACTGG
GATCTGCCACAGCTGCTCCAGGTCAAATACGGTGGGTGGCAGAATGTGAGCATGGCCAACTACTTCAGAGACTAC
GCCAACCTGTGCTTTGAGGCCTTTGGGGACCGTGTGAAGCACTGGATCACGTTCAGTGATCCTCGGGCAATGGCA
GAAAAAGGCTATGAGACGGGCCACCATGCGCCGGGCCTGAAGCTCCGCGGCACCGGCCTGTACAAGGCAGCACAC
CACATCATTAAGGCCCACGCCAAAACCTGGCATTCTTATAACACCACGTGGCGCAGCAAGCAGCAAGGTCTGGTG
GGAATTTCACTGAACTGTGACTGGGGGGAACCTGTGGACATTAGTAACCCCAAGGACCTAGAGGCTGCCGAGAGA
TACCTACAGTTCTGTCTGGGCTGGTTTGCCAACCCCATTTATGCCGGTGACTACCCCCAAGTCATGAAGGACTAC
ATTGGAAGAAAGAGTGCAGAGCAAGGCCTGGAGATGTCGAGGTTACCGGTGTTCTCACTCCAGGAGAAGAGCTAC
ATTAAAGGCACATCCGATTTCTTGGGATTAGGTCATTTTACTACTCGGTACATCACGGAAAGGAACTACCCCTCC
CGCCAGGGGCCCAGCTACCAGAACGATCGTGACTTGATAGAGCTGGTTGACCCAAACTGGCCAGATCTGGGGTCT
AAATGGCTATATTCTGTGCCATGGGGATTTAGGAGGCTCCTTAACTTTGCTCAGACTCAATACGGTGATCCTCCC
ATATATGTGATGGAAAATGGAGCATCTCAAAAATTCCACTGTACTCAATTATGTGATGAGTGGAGAATTCAATAC
CTTAAAGGATACATAAATGAAATGCTAAAAGCTATAAAAGATGGTGCTAATATAAAGGGGTATACTTCCTGGTCT
CTGTTGGATAAGTTTGAATGGGAGAAAGGATACTCAGATAGATATGGATTCTACTATGTTGAATTTAACGACAGA
AATAAGCCTCGCTATCCAAAGGCTTCAGTTCAATATTACAAGAAGATTATCATTGCCAATGGGTTTCCCAATCCA
AGAGAGGTGGAAAGTTGGTACCTCAAAGCTTTGGAAACTTGCTCTATCAACAATCAGATGCTTGCTGCAGAGCCT
TTGCTAAGTCACATGCAAATGGTTACGGAGATCGTGGTACCCACTGTCTGCTCCCTCTGTGTCCTCATCACTGCT
GTTCTACTAATGCTCCTCCTGAGGAGGCAGAGC**TGA**GACAGGATTATCAATTTTGGAGCTTCATAAGAGAATCTT
CAGGATCTTCCTCCCTTTTCTGCTTTGAGGGTTTCCATACATTGCTGTTTTCAGGTTCTACAATAATTACCTTTT
TTTCTCTTTCTCTTTTTGGCTTGTGCTGGGATTTAAGAATTAGAAAATAAAAATAAGCAGAAATTA

FIGURE 254

MKPVWVATLLWMLLLVPRLGAARKGSPEEASFYYGTFPLGFSWGVGSSAYQTEGAWDQDGKGPSIWDVFTHSGKG
KVLGNETADVACDGYYKVQEDIILLRELHVNHYRFSLSWPRLLPTGIRAEQVNKKGIEFYSDLIDALLSSNITPI
VTLHHWDLPQLLQVKYGGWQNVSMANYFRDYANLCFEAFGDRVKHWITFSDPRAMAEKGYETGHHAPGLKLRGTG
LYKAAHHIIKAHAKTWHSYNTTWRSKQQGLVGISLNCDWGEPVDISNPKDLEAAERYLQFCLGWFANPIYAGDYP
QVMKDYIGRKSAEQGLEMSRLPVFSLQEKSYIKGTSDFLGLGHFTTRYITERNYPSRQGPSYQNDRDLIELVDPN
WPDLGSKWLYSVPWGFRRLLNFAQTQYGDPPIYVMENGASQKFHCTQLCDEWRIQYLKGYINEMLKAIKDGANIK
GYTSWSLLDKFEWEKGYSDRYGFYYVEFNDRNKPRYPKASVQYYKKIIIANGFPNPREVESWYLKALETCSINNQ
MLAAEPLLSHMQMVTEIVVPTVCSLCVLITAVLLMLLLRRQS

Important features:
Signal peptide:
amino acids 1-21

Transmembrane domain:
amino acids 541-558

N-glycosylation sites:
amino acids 80-84,171-175,245-249

Glycosaminoglycan attachment site:
amino acids 72-76

cAMP- and cGMP-dependent protein kinase phosphorylation sites:
amino acids 23-27,564-568

Tyrosine kinase phosphorylation sites:
amino acids 203-211,347-355,460-468,507-514

N-myristoylation sites:
amino acids 44-50,79-85,167-173,225-231,257-263,315-321

Amidation site:
amino acids 307-311

Glycosyl hydrolases family 1 active site:
amino acids 407-416

Glycosyl hydrolases family 1 N-terminal signature:
amino acids 41-56

Motif name Glycosyl hydrolases family:
amino acids 37- 67

FIGURE 255

CGCGAAG**ATG**CGAAAGGTGGTTTTGATCACCGGGGCTAGCAGTGGCATTGGCCTGGCCCTCTG
CAAGCGGCTGCTGGCGGAAGATGATGAGCTTCATCTGTGTTTGGCGTGCAGGAACATGAGCAA
GGCAGAAGCTGTCTGTGCTGCTCTGCTGGCCTCTCACCCCACTGCTGAGGTCACCATTGTCCA
GGTGGATGTCAGCAACCTGCAGTCGGTCTTCCGGGCCTCCAAGGAACTTAAGCAAAGGTTTCA
GAGATTAGACTGTATATATCTAAATGCTGGGATCATGCCTAATCCACAACTAAATATCAAAGC
ACTTTTCTTTGGCCTCTTTTCAAGAAAAGTGATTCATATGTTCTCCACAGCTGAAGGCCTGCT
GACCCAGGGTGATAAGATCACTGCTGATGGACTTCAGGAGGTGTTTGAGACCAATGTCTTTGG
CCATTTTATCCTGATTCGGGAACTGGAGCCTCTCCTCTGTCACAGTGACAATCCATCTCAGCT
CATCTGGACATCATCTCGCAGTGCAAGGAAATCTAATTTCAGCCTCGAGGACTTCCAGCACAG
CAAAGGCAAGGAACCCTACAGCTCTTCCAAATATGCCACTGACCTTTTGAGTGTGGCTTTGAA
CAGGAACTTCAACCAGCAGGGTCTCTATTCCAATGTGGCCTGTCCAGGTACAGCATTGACCAA
TTTGACATATGGAATTCTGCCTCCGTTTATATGGACGCTGTTGATGCCGGCAATATTGCTACT
TCGCTTTTTTGCAAATGCATTCACTTTGACACCATATAATGGAACAGAAGCTCTGGTATGGCT
TTTCCACCAAAAGCCTGAATCTCTCAATCCTCTGATCAAATATCTGAGTGCCACCACTGGCTT
TGGAAGAAATTATATTATGACCCAGAAGATGGACCTAGATGAAGACACTGCTGAAAAATTTTA
TCAAAAGTTACTGGAACTGGAAAAGCACATTAGGGTCACTATTCAAAAAACAGATAATCAGGC
CAGGCTCAGTGGCTCATGCCTA**TAA**TTCCAGCACTTTGGGAGGCCAAGGCAGAAGGATCACTT
GAGACCAGGAGTTCAAGACCAGCCTGAGAAACATAGTGAGCCCTTGTCTCTACAAAAAGAAAT
AAAAATAATAGCTGGGTGTGGTGGCATGCGCATGTAGTCCCAGCTACTCAGAAGGATGAGGTG
GGAGGATCTCTTGAGGCTGGGAGGCAGAGGTTGCAGTGAGCTGAGATTGTGCCACTGCACTCC
AGCCTGGGTGACAGCGAGACCCTGTCTCAAAATATGTATATATTTAATATATATATAAAACCA
GAGCTGACAATGACACTCTGGAACATTGCATACCTTCTGTACATTCTGGGGTACATGGATTTC
TACTGAGTTGGATAATATGCATTTGTAATAAACTATGAACTATGAA

FIGURE 256

MRKVVLITGASSGIGLALCKRLLAEDDELHLCLACRNMSKAEAVCAALLASHPTAEVTIVQVD
VSNLQSVFRASKELKQRFQRLDCIYLNAGIMPNPQLNIKALFFGLFSRKVIHMFSTAEGLLTQ
GDKITADGLQEVFETNVFGHFILIRELEPLLCHSDNPSQLIWTSSRSARKSNFSLEDFQHSKG
KEPYSSSKYATDLLSVALNRNFNQQGLYSNVACPGTALTNLTYGILPPFIWTLLMPAILLLRF
FANAFTLTPYNGTEALVWLFHQKPESLNPLIKYLSATTGFGRNYIMTQKMDLDEDTAEKFYQK
LLELEKHIRVTIQKTDNQARLSGSCL

Important features:

Transmembrane domain:

amino acids 234-254

N-glycosylation sites:

amino acids 37-41,178-182,229-233,263-267

Glycosaminoglycan attachment site:

amino acids 12-16

N-myristoylation sites:

amino acids 9-15,13-19,15-21,215-221,224-230

FIGURE 257

CGGACGCGTGGGGCCGT**ATG**CGCGGCTCTGTGGAGTGCACCTGGGGTTGGGGGCACTGTGCCC
CCAGCCCCCTGCTCCTTTGGACTCTACTTCTGTTTGCAGCCCCATTTGGCCTGCTGGGGGAGA
AGACCCGCCAGGTGTCTCTGGAGGTCATCCCTAACTGGCTGGGCCCCCTGCAGAACCTGCTTC
ATATACGGGCAGTGGGCACCAATTCCACACTGCACTATGTGTGGAGCAGCCTGGGGCCTCTGG
CAGTGGTAATGGTGGCCACCAACACCCCCCACAGCACCCTGAGCATCAACTGGAGCCTCCTGC
TATCCCCTGAGCCCGATGGGGGCCTGATGGTGCTCCCTAAGGACAGCATTCAGTTTTCTTCTG
CCCTTGTTTTTACCAGGCTGCTTGAGTTTGACAGCACCAACGTGTCCGATACGGCAGCAAAGC
CTTTGGGAAGACCATATCCTCCATACTCCTTGGCCGATTTCTCTTGGAACAACATCACTGATT
CATTGGATCCTGCCACCCTGAGTGCCACATTTCAAGGCCACCCCATGAACGACCCTACCAGGA
CTTTTGCCAATGGCAGCCTGGCCTTCAGGGTCCAGGCCTTTTCCAGGTCCAGCCGACCAGCCC
AACCCCCTCGCCTCCTGCACACAGCAGACACCTGTCAGCTAGAGGTGGCCCTGATTGGAGCCT
CTCCCCGGGGAAACCGTTCCCTGTTTGGGCTGGAGGTAGCCACATTGGGCCAGGGCCCTGACT
GCCCCTCAATGCAGGAGCAGCACTCCATCGACGATGAATATGCACCGGCCGTCTTCCAGTTGG
ACCAGCTACTGTGGGGCTCCCTCCCATCAGGCTTTGCACAGTGGCGACCAGTGGCTTACTCCC
AGAAGCCGGGGGGCCGAGAATCAGCCCTGCCCTGCCAAGCTTCCCCTCTTCATCCTGCCTTAG
CATACTCTCTTCCCCAGTCACCCATTGTCCGAGCCTTCTTTGGGTCCCAGAATAACTTCTGTG
CCTTCAATCTGACGTTCGGGGCTTCCACAGGCCCTGGCTATTGGGACCAACACTACCTCAGCT
GGTCGATGCTCCTGGGTGTGGGCTTCCCTCCAGTGGACGGCTTGTCCCCACTAGTCCTGGGCA
TCATGGCAGTGGCCCTGGGTGCCCCAGGGCTCATGCTGCTAGGGGGCGGCTTGGTTCTGCTGC
TGCACCACAAGAAGTACTCAGAGTACCAGTCCATAAAT**TAA**GGCCCGCTCTCTGGAGGGAAGG
ACATTACTGAACCTGTCTTGCTGTGCCTCGAAACTCTGGAGGTTGGAGCATCAAGTTCCAGCC
GGCCCCTTCACTCCCCCATCTTGCTTTTCTGTGGAACCTCAGAGGCCAGCCTCGACTTCCTGG
AGACCCCCAGGTGGGGCTTCCTTCATACTTTGTTGGGGGACTTTGGAGGCGGGCAGGGGACAG
GGCTATTGATAAGGTCCCCTTGGTGTTGCCTTCTTGCATCTCCACACATTTCCCTTGGATGGG
ACTTGCAGGCCTAAATGAGAGGCATTCTGACTGGTTGGCTGCCCTGGAAGGCAAGAAAATAGA
TTTATTTTTTTTCACAGGGAAAAAAAAAAA